Proposed Order Exhibit 1 Cherokee's September 25, 2020 Offer to Sell Capacity to DEC From:

Nathan Hanson < NHanson@lspower.com>

Sent:

Friday, September 25, 2020 9:48 AM

To:

Keen, Michael T

**Subject:** 

[EXTERNAL] Cherokee

\*\*\* CAUTION! EXTERNAL SENDER \*\*\* STOP & THINK! Do you know and trust this sender? Were you expecting this email? Are grammar and spelling correct? Does the content make sense? If suspicious, then do not click links, open attachments or enter your ID or password.

Mike, thanks for speaking with me earlier this week. As we discussed on the phone and not to go into it here, below are the terms we need in a contracting opportunity.

- Extend the current tolling agreement for 10 yrs
- VOM and Start charges would continue and escalate at the rates included in the agreement.
- The FOM and Capacity Rates would be replaced with a single rate, by month, as shown below. The capacity attributed to the plant would be differentiated by month as you had proposed. The rates shown in the table are for calendar year 2021 and would escalate at 3% per yr during the term.

Month	Capacity (MW)	FOM and Cap
jan	98	11.98
feb	98	11.98
mar	98	7.10
apr	90	4.11
may	90	4.11
(un	<del>66</del>	5.55
jul	86	7.83
aug	86	7.83
sep	<b>86</b>	5.55
oct	90	4.11
UOA	90	4.11
dec	98	7.10

We think this arrangement provides Duke significant value along with meeting its purpa obligations and represents movement from what we have offered previously. I understand you are meeting with your team on Monday and look to hear back from you after that.

## Thanks

Nathan Hanson LS Power 212-547-2917 (o) 646-770-7244 (m)

This message is intended only for the designated recipient(s). It may contain confidential, privileged or proprietary information. If you are not a designated or intended recipient, you may not review, copy, distribute, use, or take any action in reliance upon this message or any attachments. If you receive this message in error, please notify the sender by reply email and delete this message and any attachments.